### 1.Identification of the substance or mixture and of the supplier

1.1 Product Name:

BeautiSealant "PASTE"

1.2 Company /Undertaking identification

Manufacturer's Name: SHOFU INC.

Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983 ,JAPAN

Phone: +81-75-561-1112 Fax: +81-75-275-4795

Section in Charge: Quality Assurance Section

Date Prepared:

2014.9.16

1.3 Emergency Telephone Number

+81-75-561-1112

2 Hazardous	identification
Li lazai uvua	IUDIILIII GALIOII

GHS (	CLASSIF	ICATION
-------	---------	---------

PHYSICAL HAZARDS

FLAMMABLE LIQUIDS

Not Classified

SELF-HEATING SUBSTANCES AND MIXTURES

Not Classified

Category 4

Category 2

Category 1

Category 2

Not Classified

Not Classified

SUBSTANCES AND MIXTURES WHICH, IN CONTACT Not Classified

WITH WATER, EMIT FLAMMABLE GASAS

**HEALTH HAZARDS** 

ACUTE TOXICITY-ORAL
ACUTE TOXICITY-DERMAL
SKIN CORROSION/IRRITATION
EYE DAMAGE/IRRITATION
SENSITIZATION-SKIN
GERM CELL MUTAGENICITY

CARCINOGENICITY

TOXIC TO REPRODUCTION SPECIFIC TARGET ORGAN SYSTEMIC

TOXICITY (SINGLE EXPOSURE)
SPECIFIC TARGET ORGAN SYSTEMIC

TOXICITY (REPEATED EXPOSURE)

Not Classified Not Classified Category 2(heart, nerve,liver,kidney)

Category 2 (respiratory, kidney

nervous system) Not Classified

**ENVIRONMENTAL HAZARD** 

HAZARDOUS TO THE AQUATIC

ENVIRONMENT-ACUTE HAZARD

HAZARDOUS TO THE AQUATIC ENVIRONMENT-CHRONIC HAZARD

Not Classified

The thing without mention is out of a classification object. Or cannot classify it.

LABEL ELEMENTS SYMBOL







SIGNAL WORD

Danger

HAZARD STATEMENTS

Harmful if swallowed Causes skin irritation Causes serious eye damage

Suspected of causing genetic defects

May cause damage to organs(heart,nerve,liver,kidney)

Waming May cause damage to organs through prolonged or repeated exposure(respiratory, nervous system,kidney)

### PRECAUTIONARY STATEMENTS

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood.

Wear protective gloves/protective clothing/eye protection/face

protection.

Do not eat, drink or smoke when using this product.

Do not breathe dust/mist/vapours.

Wash hands thoroughly after handling.

[Response]

Get medical advice/attention if you feel unwell.

Take off contaminated clothing and wash before reuse.

IF ON SKIN: Wash with plenty of soap and water.

If skin ir ritation occurs: Get medical advice/attention.

IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

IF SWALLOWED: Call a POISON CENTER or doctor/physician

if you feel unwell.

[Storage]

Store in a cool and dark area.(Keep refrigerated when not in use)

Disposal

Dispose of contents and container in accordance with regulation.

### 3. Composition/Information on Ingredients

Composition

Glass powder

<u>.</u>

≒30

UDMA [Cas No.72869-88-4]

TEGDMA [Cas No.109-16-0]

Others

Hazardous ingredients are not include.

### 4.First-aid measures

4.1 Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses,

if present and easy to do. If eye irritation persists, get medical advice/attention.

4.2 Skin contact: Wash with plenty of soap and water. If on skin, skin irritation, get medical

advice/attention.

4.3 Ingestion: Rinse mouth. Consult physician if necessary.

4.4 Inhalation: Remove victim to flesh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath gose out, call a POISON CENTER to doctor.

#### 5.Fire-fighting measures

5.1 Suitable Extinguishing Media:

CO2, Dry chemical, Foam

5.2 Extinguishing Media Should not be used :

N/A

5.3 Special Exposure Hazards Arising:

In case of fire, do not breath fumes and gases.

5.4 Special Protective Equipment:

(Irritation gases and fumes may emit.)
Wear fire protective cloth and self-contained breathing apparatus if necessary.

#### 6.Accidental release measures

6.1 Personal Precautions: N/A

6.2 Environmental Precautions: Dispose according to local, state and federal regulations.

6.3 Methods for Cleaning Up: Wipe up and discard in a suitable container.

### 7.Handling and storage

7.1 Handling: Avoid inhalation of grindings and prolonged skin contact with uncured resin.

7.2 Storage: Store in a cool and dark area.(Keep refrigerated when not in use)

#### 8.Exposure controls/personal protection

8.1 Respiratory Protection: Not required(use dust mask while grinding or finishing)

8.2 Hand Protection: Latex or rubber gloves

8.3 Eye Protection: Safety goggles (May be required)

8.4 Skin Protection: Not required

### 9. Physical and chemical properties

9.1 Appearance/Odour/pH Low viscosity paste of the lemon yellow

9.2 Boiling Point/Boiling Range: N/D
9.3 Melting Point/Melting Range: N/D
9.4 Flash point: 130°C
9.5 Auto flammability: N/D
9.6 Explosive Properties: N/D
9.7 Oxidizing Properties: N/D

9.8 Vapour Pressure: N/D

9.10 Solubility: water solubility Insoluble

### 10.Stability and reactivity

9.9 Relative Density:

10.1 Stability: Stable under the normal condition.
 10.2 Reactivity: Polymerization will occur with heat, light.
 10.3 Condition to avoid: Direct sunlight, high temperature and heating.

≒1.2 (water=1)

10.4 Materials to avoid: Strong oxidizing materials

### 11.Toxicological information

No information

## 12.Ecological information

No information

### 13.Disposal considerations

Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).

### 14.Transport information

Airline restriction information; It doesn't correspond.

UN No.; It doesn't correspond.

Sea restriction information; It doesn't correspond.

UN No.; It doesn't correspond.

### 15.Regulatory information

Follow all regulations in your country.

# 16.Other Information

This product is intended for use by dental professionals. (instrument/material)

### 1.Identification of the substance or mixture and of the supplier

1.1 Product Name:

### BeautiSealant "PRIMER"

1.2 Company /Undertaking identification

Manufacturer's Name: SHOFU INC.

Address: 11 Kamitakamatsu-cho, Fukuine, Higashiyama-ku, Kyoto 605-0983 ,JAPAN

Phone: +81-75-561-1112 Fax: +81-75-561-2273

Section in Charge: Quality Assurance Section

Date Prepared: 2014.9.16

1.3 Emergency Telephone Number

+81-75-561-1112

2	Haz	ardous	idei	atifics	ation

2.Hazardous identification		
GHS CLASSIFICATION		
PHYSICAL HAZARDS	FLAMMABLE LIQUIDS	Category 2
	PYROPHORIC LIQUIDS	Not Classified
	CORROSIVE TO METALS	Not Classified
HEALTH HAZARDS	ACUTE TOXICITY-ORAL	Not Classified
	ACUTE TOXICITY-DERMAL	Not Classified
	ACUTE TOXICITY-INHALATION(VAPOURS)	Not Classified
	SKIN CORROSION/IRRITATION	Not Classified
	EYE DAMAGE/IRRITATION	Category 2A
	SENSITIZATION-RESPIRATORY	Category 1
	SENSITIZATION-SKIN	Category 1
	GERM CELL MUTAGENICITY	Not Classified
	CARCINOGENICITY	Not Classified
	TOXIC TO REPRODUCTION	Category 2
	SPECIFIC TARGET ORGAN SYSTEMIC	Category 3(narcotic
	TOXICITY (SINGLE EXPOSURE)	effects,respiratory
		tract irritation)
	SPECIFIC TARGET ORGAN SYSTEMIC	Category 2(blood)
	TOXICITY (REPEATED EXPOSURE)	
ENVIRONMENTAL HAZARD	HAZARDOUS TO THE AQUATIC	Not Classified
	ENVIRONMENT-ACUTE HAZARD	
	HAZARDOUS TO THE AQUATIC	Not Classified

The thing without mention is out of a classification object. Or cannot classify it.

**ENVIRONMENT-CHRONIC HAZARD** 

LABEL ELEMENTS

SYMBOL







SIGNAL WORD

HAZARD STATEMENTS

Highly flammable liquid and vapor May cause allergic skin reaction Causens serious eye irritation

# SAFFTY DATA SHFFT

May cause allergy or asthma symptoms or breathing difficulties if inhaled May cause respiratory irritation or May cause drowsiness and dizziness Suspected of damaging fertility or unborn child

Warning May cause damage to organs through prolonged or repeated exposure(blood)

#### PRECAUTIONARY STATEMENTS

[Prevention]

Obtain special instruction before use.

Do not handle until all safety precautions have been read and understood

Wear protective gloves and eye/face protection.

In case of inadequate ventilation wear respiratory protection.

Do not breathe dust/fume/gas/mist/vapours/spray.

Do not eat, drink or smoke when using this product.

Keep away from ignition sources such as heat/sparks/open flames-No smoking.

Ground/Bond container and receiving equipment.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing should not be allowed out of the workspace.

Keep container tightly closed.

Wash hands thoroughly after handling.

[Response]

If inhaled, remove victim to flesh air and keep at rest in a position comfortable for breathing. If symptom concerning breath gose out, call a POISON CENTER to doctor.

If you feel un-well, get medical advice/attention.

Take of immediately contaminated clothing.

Wash contaminated clothing befor reuse.

If on skin, wash with plenty of soap and water. If on skin, skin irritation, get medical advice/attention.

If in eyes, rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do.

If eye irritation persists, get medical advice/attention.

=60%

[Storage]

Store in a cool and dark area.(Keep refrigerated when not in use)

[Disposal]

Dispose of contents and container in accordance with regulation.

### 3. Composition/information on ingredients

Composition

Hazzard type

F.Xi

Purified water [Cas No.7732-18-5]

Acetone [Cas No.67-64-1]

Phosphonate monomer

Others

### 4.First-aid measures

4.1 Eye contact: Rinse cautiously with water for several minutes. Remove contact lenses, if present.

and easy to do. If eye irritation persists, get medical advice/attention.

4.2 Skin contact: Wash immediately with saop and plenty of water. If on skin, skin irritation, get medical

advice/attention.

4.3 Ingestion: Rinse mouth. Get medical advice/attention.

4.4 Inhalation: Remove victim to flesh air and keep at rest in a position comfortable for breathing.

If symptom concerning breath gose out, call a POISON CENTER to doctor.

### 5.Fire-fighting measures

5.1 Suitable Extinguishing Media:

Powder, Alcohol-resistsnt foam, Carbon dioxide.

5.2 Extinguishing Media Should not be used :

5.3 Special Exposure Hazards Arising:

Irritation gases and fumes may emit.

5.4 Special Protective Equipment:

Wear fire protective cloth and self-contained

breathing apparatus if necessary.

#### 6.Accidental release measures

6.1 Personal Precautions:

See section 8.

6.2 Environmental Precautions:

Send to approved treatment/disposal company or

dispose according to local, state and federal regulations.

6.3 Methods for Cleaning Up:

Wipe up and discard in a suitable container.

### 7.Handling and storage

7.1 Handling:

Handle in a well ventilated place. Wear protective gloves, safety spectacles or

face shield.(If nrcessary wear self-containded breathing apparatus.)

Keep away from naked flames, sparks and sources of heat. No smorking.

7.2 Storage:

Store in a cool and dark fire proof area with container tightly closed.

Separated from strong oxidants.(Keep refrigerated when not in use.)

### 8.Exposure controls/personal protection

8.1Exposure limits:

ACGIH TLV.

Aceton [Cas No.67-64-1]

500ppm(TWA);750ppm(STEL)A4

8.2 Respiratory Protection:

Ventilation, Local exhaust.

8.3 Hand Protection:

Latex or rubber gloves

8.4 Eve Protection:

Safety spectacles

8.5 Skin Protection:

Not required (General working clothes.)

#### 9. Physical and chemical properties

9.1 Appearance/Odour/pH

Colorless liquid with sweet odor

9.2 Boiling Point/Boiling Range:

9.3 Melting Point/Melting Range:

95 °C [as Acetone]

9.4 Flash point:

-15.0 °C(closed)

9.5 Auto flammability:

N/D

9.6 Explosive Properties:

N/D

9.7 Oxidizing Properties:

N/D

9.8 Vapour Pressure:

N/D

9.9 Relative Density:

0.94 (water=1)

water solubility

9.10 Solubility:

Soluble in all purport

### 10.Stability and reactivity

10.1 Stability:

Stable under the normal condition.

10.2 Reactivity:

Hazardous polymerization will not occur.

10.3 Condition to avoid:

Avoid excess heat, flame and other source of ignition.

Separated from strong oxidants.

10.4 Materials to avoid:

Strong oxidizing materials

### 11.Toxicological information

#### Acetone;

Acute toxicity: Emergency response guidebook

Vapors may cause dizziness or suffocation.

(Inhalation) mouse LCL0 110 g/m3/1H tat LCL0 16000 ppm/4H human TCL0 500 ppm (Oral) mouse LD50 3000 mg/kg

rat LD50 5800 mg/kg

Irritant properties :

(Dermal)

Inhalation or contact with material may irritate or bum skin and eyes.

20 g/kg

Irritant properties to skin/eye.

(Skin) rabbit 3950 ug; SEVERE

rabbit

rabbit 100 mg/24H; MODERRATE

(Eye) rabbit 395 mg open ; MILD

rabbit 500 MG/24H; MILD

LD50

Allergenic and sensitizing effects; N/A

Chronic toxicity;

Toxic: danger of serious damage to health by prolonged exposure through inhalation.

Carcinogenic effects;

ACGIH-A4: Not Classifiable as a Human Carcinogen.

Mutagenic effects; N/A
Teratogenic effects; N/A
Toxicity for reproduction; N/A

### 12.Ecological information

The product should not be allowed to drain into sewers.

### 13.Disposal considerations

Dispose of contents/container to in accordance with local/regional/national/international regulations (to be specified).

### 14.Transport information

UN Hazard Class:3/UN Packing Group: II UN NO.1090 (as Aceton)

### 15.Regulatory information

Follow all regulations in your country.

### 16.Other information

This product is intended for use by dental professionals. (instrument/material)