SAFETY DATA SHEET



1. Identification

Product identifier SENSODYNE TOOTHPASTE (WITH STANNOUS FLUORIDE)

Other means of identification

Synonyms MFC04108 SENSODYNE REPAIR AND PROTECT * MFC04109 SENSODYNE REPAIR AND

PROTECT * MFC04186 SENSODYNE COMPLETE PROTECTION EXTRA FRESH (STANNOUS FLUORIDE) * MFC04209 SENSODYNE REPAIR AND PROTECT WHITENING (STANNOUS FLUORIDE) * MFC04325 SENSODYNE COMPLETE PROTECTION (STANNOUS FLUORIDE) * MFC04498 SENSODYNE COMPLETE PROTECTION WITH STANNOUS FLUORIDE * MFC04499

SENSODYNE COMPLETE PROTECTION EXTRA FRESH WITH STANNOUS FLUORIDE *

STANNOUS FLUORIDE. FORMULATED PRODUCT

Recommended use Oral Care

Recommended restrictions No other uses are advised. **Manufacturer/Importer/Supplier/Distributor information**

GlaxoSmithKline US

5 Moore Drive

Research Triangle Park, NC 27709 USA

US General Information (normal business hours): +1-888-825-5249

Email Address: msds@gsk.com Website: www.gsk.com

EMERGENCY PHONE NUMBERS - TRANSPORT EMERGENCIES:

US / International toll call +1 703 527 3887

available 24 hrs/7 days; multi-language response

2. Hazard(s) identification

Classified hazards

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Label elements

Manufacturer

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Hazard(s) not otherwise classified (HNOC)

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN	GLYCEROL GLYCERIN ANHYDROUS GLYCERINE GLYCERITOL GLYCYL ALCOHOL 1,2,3-PROPANETRIOL PROPANETRIOL GLYROL GLYSANIN TRIHYDROXYPROPANE 1,2,3-TRIHYDROXYPROPANE OSMOGLYN	56-81-5	50 - 60

Material name: SENSODYNE TOOTHPASTE (WITH STANNOUS FLUORIDE) 135528 Version #: 09 Revision date: 05-13-2016 Issue date: 02-18-2014

Chemical name	Common name and synonyms	CAS number	%
POLYETHYLENE GLYCOL 400	PEG 400 ALPHA-HYDRO-OMEGA-HYDROXY-POLY (OXY-1,2-ETHANEDIYL) PEG CARBOWAX POLYOXYETHYLENE 400 CARBOWAX POLYETHYLENE GLYCOL 40 0 CARBOWAX PEG 400 OHS19121 RTECS TQ3675000 GLYCOLS, POLYETHYLENE POLY(OXY-1,2-ETHANEDIYL), .ALPHA HYDROOMEGA. POLYETHYLENEGLYCOL 6000 POLYETHYLENGLYKOLE (PEG) (MOLMASSE 200-600)	25322-68-3	10 - 20
SIDENT		7631-86-9	5 - 10
ZEODENT 124	Silica [inhalable fraction] Silicon dioxide (crystalline) (Silica) SILICA, AMORPHOUS, FUMED SILICIC ANHYDRIDE	7631-86-9	5 - < 10
SODIUM TRIPOLYPHOSPHATE	TRIPHOSPHORIC ACID, PENTASODIUM SALT PENTASODIUM TRIPHOSPHATE PENTASODIUM TRIPOLYPHOSPHATE SODIUM TRIPHOSPHATE SODIUM POLYPHOSPHATE SODIUM PHOSPHATE	7758-29-4	3 - 7.5
DODECYL SODIUM SULFATE	DODECYL SULFATE, SODIUM SALT SODIUM LAURYL SULPHATE LAURYL SULFATE SODIUM SALT	151-21-3	0.5 - 1.5
TITANIUM DIOXIDE	TITANIUM OXIDE TITANIUM(IV) OXIDE TITANIUM PEROXIDE (TIO2) PIGMENT WHITE 6	13463-67-7	0.5 - 1.5
PERSEE ICE FROST 509090T FLAVOUR			0 - 1.3
OPTAMINT NORTHERN LIGHT 913844		Unassigned	0 - 1.2
OPTAMINT TWINKLE		Unassigned	0 - 1.2
SENSIDREAM FLAVOR 508915T		Unassigned	0 - 1.1
CARBOPOL 980	CARBOPOL 980 NF POLYMER ACRYLIC ACID, POLYMERIZED ACRYLIC ACID POLYMER CARBOMER	9003-01-4	0 - < 1
TP 16348 BEKA EC		Unassigned	0 - 1
TIN (II) FLUORIDE	STANNOUS FLUORIDE TIN BIFLUORIDE	7783-47-3	0.4 - 0.5
COCOAMIDOPROPYL BETAINE	COCOAMIDO BETAINE N-(COCO ALKYL) AMIDO PROPYL DIMETHYL BETAINE COCONUT OIL AMIDOPROPYL BETAINE	61789-40-0	0.0 - 0.5

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. If breathing is difficult, trained personnel should give oxygen. Call a physician if

symptoms develop or persist. Under normal conditions of intended use, this material is not

expected to be an inhalation hazard.

Skin contact Immediately flush skin with plenty of water. Take off contaminated clothing and wash before reuse.

Get medical attention if symptoms occur.

Eye contact Ingestion Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.

If swallowed, rinse mouth with water (only if the person is conscious). If ingestion of a large amount does occur, call a poison control center immediately. Do not induce vomiting without

advice from poison control center.

Most important symptoms/effects, acute and delayed

Direct contact with eyes may cause temporary irritation.

Indication of immediate medical attention and special treatment needed

No specific antidotes are recommended. Treat according to locally accepted protocols. For additional guidance, refer to the current prescribing information or to the local poison control information center.

General information

In the case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing media

None known.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

and precautions for firefighters Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

Specific methods

Assume that this product is capable of sustaining combustion.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Use water spray to reduce vapors or divert vapor cloud drift. Prevent product from entering drains.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid prolonged exposure. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Keep away from heat, sparks and open flame. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

GSK Components	Туре	Value	Note
COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)	OHC	1	PROVISIONAL
DODECYL SODIUM SULFATE (CAS 151-21-3)	OHC	2	

GSK Components		Туре			Value	Note
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)		OHC			1	
US. OSHA Table Z-1 Limi	ts for Air Contam	inants	(29 CFR 1910.10	00)		
Components		Type			Value	Form
GLYCERIN (CAS 56-81-5)		PEL			5 mg/m3 15 mg/m3	Respirable fraction. Total dust.
TITANIUM DIOXIDE (CAS 13463-67-7)		PEL			15 mg/m3	Total dust.
US. OSHA Table Z-2 (29 C Components	CFR 1910.1000)	Туре			Value	Form
TIN (II) FLUORIDE (CAS 7783-47-3)		TWA			2.5 mg/m3	Dust.
US. OSHA Table Z-3 (29 Components	CFR 1910.1000)	Туре			Value	
SIDENT (CAS 7631-86-9)		TWA			0.8 mg/m3 20 mppcf	
ZEODENT 124 (CAS 7631-86-9)		TWA			0.8 mg/m3	
					20 mppcf	
US. ACGIH Threshold Lir Components	nit Values	Туре			Value	
TITANIUM DIOXIDE (CAS 13463-67-7)		TWA			10 mg/m3	
US. NIOSH: Pocket Guide Components	e to Chemical Haz	ards Type			Value	
SIDENT (CAS 7631-86-9) ZEODENT 124 (CAS 7631-86-9)		TWA TWA			6 mg/m3 6 mg/m3	
US. AIHA Workplace Env Components	ironmental Expos	sure Le	evel (WEEL) Guid		Value	Form
POLYETHYLENE GLYCO 400 (CAS 25322-68-3)	L	TWA			10 mg/m3	Particulate.
logical limit values						
ACGIH Biological Exposu Components	ure Indices Value		Determinant	Specimen	Sampling ¹	Time
TIN (II) FLUORIDE (CAS 7783-47-3)	3 mg/l		Fluoride	Urine	*	
·	2 mg/l		Fluoride	Urine	*	
* - For sampling details, ple	ease see the sourc	e docu	ment.			
osure guidelines						
ropriate engineering trols	General venti	lation r	ormally adequate			
		nal pro	otective equipme	nt		
		-		y, safety glass	ses with side shi	elds are recommended.
vidual protection measure Eye/face protection Skin protection Hand protection	Not normally	needed	I. If contact is likel			
Eye/face protection	Not normally	needed needed	I. If contact is likel I. For prolonged o	r repeated ski	n contact use su	elds are recommended. itable protective gloves. against splashing or

Respiratory protection
No personal respiratory protective equipment normally required. Use a NIOSH/MSHA approved

respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional.

9. Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.
Form Paste.

Color Not available.

Odor Not available.

Odor threshold Not available.

PH Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available
Evaporation rate Not available.
Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

(%)

Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.

Solubility(ies)

Solubility (water) Not available.
Solubility (other) Not available.
Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.

9.2. Other information No relevant additional information available.

10. Stability and reactivity

ReactivityThe product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials. Keep away from heat, sparks and open flame.

Incompatible materials Strong oxidizing agents. Fluorine. Chlorine.

Hazardous decomposition

products

None known. Irritating and/or toxic fumes and gases may be emitted upon the product's

decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact Health injuries are not known or expected under normal use.

Eye contact Health injuries are not known or expected under normal use. Direct contact with eyes may cause

temporary irritation.

Ingestion Health injuries are not known or expected under normal use. May be harmful if swallowed.

Direct contact with eyes may cause temporary irritation.

However, ingestion is not likely to be a primary route of occupational exposure.

Symptoms related to the

physical, chemical and toxicological characteristics

Information on toxicological effects

Acute toxicity Expected to be a low hazard for usual industrial or commercial handling by trained personnel.

Components Species Test Results

CARBOPOL 980 (CAS 9003-01-4)

Acute

Oral LD50

Rat 2500 mg/kg

Chronic

Inhalation

 LOEC
 Rat
 0.2 mg/m3 2 y

 NOAEL
 Rat
 0.05 mg/m3 2 y

COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)

<u>Acute</u>

Oral

LD50 Mouse > 2000 mg/kg

DODECYL SODIUM SULFATE (CAS 151-21-3)

<u>Acute</u>

Oral

LD50 Rat 1288 mg/kg

GLYCERIN (CAS 56-81-5)

Acute

Oral

LD50 Rat > 2000 mg/kg

POLYETHYLENE GLYCOL 400 (CAS 25322-68-3)

Acute

Oral

LD50 Rat 30.2 g/kg

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

Acute

Oral

LD50 Rat 3120 mg/kg

TITANIUM DIOXIDE (CAS 13463-67-7)

Acute

Inhalation

LC50 Rat 6820 mcg/m3

Oral

LD50 Rat > 24 g/kg

oonents	nents Species Test Results	
Chronic		
Inhalation		
LOEC	Rat	8.6 mg/m3, 1 years TiO2 accumulated in interstitial macrophages, aggregated interstitial cells and particle laden macrophrages in lymphoid tissue.
NOAEC	Rat	250 mg/m3, 2 years Highest dose
		5 mg/m3, 24 months
<u>Subacute</u>		
Inhalation		
LOEL	Rat	0.1 - 35 mg/m3, 4 weeks Mild macrophage hyperplasia, no change in bronchio-alveolar lavage fluid.
NOAEC	Guinea pig	26 mg/m3, 3 weeks No evidence of significant inflammation in respiratory tract.
Oral		
NOAEL	Rat	100000 ppm, 14 Day Dietary study, highest dose tested.
<u>Subchronic</u>		
Inhalation		
LOEC	Rat	3.2 - 20 mg/m3, 8 min Accumulation of TiO2 in macrophages and evidence of pulmonary inflammation.

^{*} Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Health injuries are not known or expected under normal use.

Irritation Corrosion - Skin TITANIUM DIOXIDE

ation Corrosion - Skin

0, Literature data Result: Non-irritant Species: Guinea pig 0, Literature data Result: Non-irritant Species: Human

Acute dermal irritation; OECD 404, Literature data

Result: Non-irritant Species: Rabbit

Serious eye damage/eye irritation

Health injuries are not known or expected under normal use. Direct contact with eyes may cause

temporary irritation.

Eye

Comp

TITANIUM DIOXIDE OECD 405, Literature data

Result: Mild irritant Species: Rabbit

Respiratory or skin sensitization

Respiratory sensitization No studies have been conducted.

Skin sensitization None known. This product is not expected to cause skin sensitization.

Sensitization

TITANIUM DIOXIDE 5 % Optimisation Test, Literature data - Vehicle: petrolatum

Result: Negative Species: Guinea pig

Test Duration: 48 hour exposure Patch test, Literature data

Result: Negative Species: Human

Germ cell mutagenicity Health injuries are not known or expected under normal use.

Mutagenicity

TITANIUM DIOXIDE Ames, Literature data

Result: Negative

Mutagenicity

TITANIUM DIOXIDE Micronucleus Assay in vitro, CHO cells, Literature data

Result: Negative

Micronucleus Assay in vitro, cultured human peripheral

lymphocytes, Literature data

Result: Positive

Syrian Hamster Embryo (SHE) cell transformation assay

Result: Negative

WIL2-NS HPRT/ t-Thioguanidine - Human B-Cell

lymphoblastoid, Literature data

Result: Positive

Carcinogenic effects are not expected as a result of occupational exposure. Contains a material Carcinogenicity

(titanium dioxide) classified as a carcinogen by external agencies. These effects are linked only to

high doses of this substance; lower doses did not cause this adverse effect.

TITANIUM DIOXIDE 0.5 mg/m3, Literature data

> Result: Negative Species: Rat

Test Duration: 24 months

0.72 - 14.8 mg/m3, Literature data

Result: Negative Species: Mouse

10 - 250 mg/m3, Dietary study - Literature data.

Result: Inflammation at all doses with alveolar/bronchiolar

adenoma at the highest concentration.

Species: Rat

Test Duration: 24 months

25000 - 50000 ppm, Dietary study

Result: Negative Species: Mouse

25000 - 50000 ppm, Dietary study - Literature data.

Result: Negative Species: Rat

7.2 - 14.8 mg/m3, Literature data

Result: Lung tumour Species: Rat

Test Duration: 24 months

IARC Monographs. Overall Evaluation of Carcinogenicity

CARBOPOL 980 (CAS 9003-01-4)

SIDENT (CAS 7631-86-9)

TIN (II) FLUORIDE (CAS 7783-47-3) TITANIUM DIOXIDE (CAS 13463-67-7)

ZEODENT 124 (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

3 Not classifiable as to carcinogenicity to humans.

3 Not classifiable as to carcinogenicity to humans.

2B Possibly carcinogenic to humans.

3 Not classifiable as to carcinogenicity to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Contains no ingredient listed as toxic to reproduction Reproductive toxicity

Specific target organ toxicity -

single exposure

Not assigned.

Specific target organ toxicity -

repeated exposure

Not assigned.

Not established. **Aspiration hazard**

Prolonged inhalation may be harmful. Chronic effects

Occupational exposure to the substance or mixture may cause adverse effects. **Further information**

12. Ecological information

Ecotoxicity Contains a substance which causes risk of hazardous effects to the environment.

Material name: SENSODYNE TOOTHPASTE (WITH STANNOUS FLUORIDE) 135528 Version #: 09 Revision date: 05-13-2016 Issue date: 02-18-2014

Components		Species	Test Results
CARBOPOL 980 (CAS	S 9003-01-4)		
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	168 - 280 mg/l, 96 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	580 - 2000 mg/l, 96 hours Static test
COCOAMIDOPROPY	L BETAINE (CAS 6	1789-40-0)	
Aquatic			
Acute			
Algae	EC50	Green algae (Scenedesmus subspicatus)	0.55 mg/l, 96 hours
	NOEC	Green algae (Scenedesmus subspicatus)	0.09 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	6.5 mg/l, 48 hours
	NOEC	Water flea (Daphnia magna)	1.6 mg/l, 48 hours
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	2 mg/l, 96 hours semi-static test conditions
	NOEC	Zebra fish (Adult Brachydanio rerio)	1.7 mg/l, 96 hours semi-static test conditions
Microtox	MIC	Pseudomonas	> 3000 mg/l, 16 hours
Chronic			3 /
Crustacea	LOEC	Water flea (Daphnia magna)	3.6 mg/l, 21 days
	NOEC	Water flea (Daphnia magna)	0.9 mg/l, 21 days
DODECYL SODIUM S	SULFATE (CAS 151	-21-3)	
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	5.4 mg/l, 48 hours Static test
Fish	EC50	Rainbow trout (Adult Oncorhyncus mykiss)	4.6 mg/l, 96 hours Flow-through test
Chronic			
Algae	NOEC	Green algae (Desmodesmus subspicatus)	30 mg/l, 72 hours
Crustacea	NOEC	Ceriodaphnia dubia	0.88 mg/l, 7 days Flow-though Test
Fish	NOEC	Fathead minnow (Pimephales promelas)	3.8 mg/l, 28 days Flow-through test
POLYETHYLENE GLY	YCOL 400 (CAS 25	322-68-3)	
Aquatic			
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	53000 mg/l, 48 hours
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	87000 mg/l, 96 hours
Microtox	EC50	Microtox	100000 mg/l, 15 minutes
SIDENT (CAS 7631-8	6-9)		
Aquatic	-		
Acute			
Crustacea	NOEC	Water flea (Daphnia magna)	> 10000 mg/l, 24 hours
Fish	NOEC	Zebra fish (Adult Brachydanio rerio)	> 10000 mg/l, 96 hours
SODIUM TRIPOLYPH	OSPHATE (CAS 7	758-29-4)	
Acute	`	•	

IC50

Activated sludge

> 1000 mg/l, 3 hours

Components		Species	Test Results
Aquatic			
Acute			
Algae	EC50	Algae	60 - 120 mg/l
Crustacea	EC50	Water flea (Daphnia magna)	1089 mg/l, 50 hours
Fish	EC50	Golden ide/orfe (Adult Leuciscus idus)	1650 mg/l, 48 hours
		Orange-red killfish (Adult Oryzias latipes)	590 mg/l, 48 hours Static test
TITANIUM DIOXIDE (CAS 13463-67-7)		
Aquatic			
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
Acute			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours Static test

^{*} Estimates for product may be based on additional component data not shown.

Persistence and degradability

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

COCOAMIDOPROPYL BETAINE 97 %, 28 days Modified Zahn-Wellens, DOC removal.,

Activated sludge

99 %, 28 days Modified Zahn-Wellens, DOC removal.,

Activated sludge

POLYETHYLENE GLYCOL 400 40.2 - 70 %, 20 Days BOD20

Percent degradation (Aerobic biodegradation-ready)

COCOAMIDOPROPYL BETAINE

100 %, 20 Days Modified Sturm test., Activated sludge 84 %, 30 days Closed bottle test, Activated sludge

DODECYL SODIUM SULFATE 95 % OECD 301 B

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

DODECYL SODIUM SULFATE 1.6
GLYCERIN -1.76

Mobility in soilNot available.Mobility in generalNot available.Other adverse effectsNot available.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not

discharge into drains, water courses or onto the ground. Dispose in accordance with all applicable

regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions). Avoid discharge into water courses or onto the ground.

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as a dangerous good.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Not established.

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

GLYCERIN (CAS 56-81-5)

Other Flavoring Substances with OSHA PEL's

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.

(a))

TITANIUM DIOXIDE (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

GLYCERIN (CAS 56-81-5)

SIDENT (CAS 7631-86-9)

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

TITANIUM DIOXIDE (CAS 13463-67-7)

ZEODENT 124 (CAS 7631-86-9)

US. New Jersey Worker and Community Right-to-Know Act

GLYCERIN (CAS 56-81-5)

SIDENT (CAS 7631-86-9)

TIN (II) FLUORIDE (CAS 7783-47-3)

TITANIUM DIOXIDE (CAS 13463-67-7)

ZEODENT 124 (CAS 7631-86-9)

US. Pennsylvania Worker and Community Right-to-Know Law

GLYCERIN (CAS 56-81-5)

SIDENT (CAS 7631-86-9)

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

TIN (II) FLUORIDE (CAS 7783-47-3) TITANIUM DIOXIDE (CAS 13463-67-7) ZEODENT 124 (CAS 7631-86-9)

US. Rhode Island RTK

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s)

Toxic Substances Control Act (TSCA) Inventory

16. Other information, including date of preparation or last revision

 Issue date
 02-18-2014

 Revision date
 05-13-2016

Version # 09

United States & Puerto Rico

Further information HMIS® is a registered trade and service mark of the NPCA.

HMIS® ratings Health: 1*

Flammability: 1 Physical hazard: 0

NFPA ratings Health: 1

Flammability: 1 Instability: 0

References GSK Hazard Determination

Disclaimer The information and recommendations in this safety data sheet are, to the best of our knowledge,

accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and

the suitability of the material or product for any particular purpose.

Revision informationThis document has undergone significant changes and should be reviewed in its entirety.

Material name: SENSODYNE TOOTHPASTE (WITH STANNOUS FLUORIDE) 135528 Version #: 09 Revision date: 05-13-2016 Issue date: 02-18-2014 No