

1. Identification

Product identifier

SENSODYNE TOOTHPASTE (WITH TITANIUM DIOXIDE)

Other means of identification

Synonyms

MFC 2031 SENSODYNE PRONAMEL * IB 0853 SENSODYNE LOW ABRASION * IB 1674 GENTLE WHITENING * IB 1850 SENSODYNE WITH VITAMINS * IB 2078 SENSODYNE TOOTHPASTE ORIGINAL (US) * IB 2079 TARTAR CONTROL PLUS WHITENING * IB 1171 SENSODYNE-F BAKING SODA * MFC 00556 GENTLE WHITENING (UK) * MFC 00858 PRONAMEL * MFC 00925 & MFC 00926 SENSODYNE PRONAMEL MINT ESSENCE, SENSODYNE PRONAMEL (CANADA) * MFC 01788 PRONAMEL (SE ASIA & AUSTRALIA) * MFC 01942 PRONAMEL FOR CHILDREN (EU) * MFC 02284 PRONAMEL GENTLE WHITENING (EU) * MFC 02141 EXTRA WHITENING (REPLACEMENT MINT FLAVOR) * MFC 02402 SENSODYNE PRONAMEL GENTLE WHITENING (US) * MFC 02559 FRESHMINT (INDIA) * MFC 03126 SENSODYNE FRESH MINT * MFC 03130 SENSODYNE FRESH MINT (GREEN 1150PPM F-) * MFC 03135, 03140, 03134 & 03145 SENSODYNE EXTRA FRESH * MFC 03141 SENSODYNE EXTRA FRESH (COMPOSITE 1150PPM F-) * MFC 03145 SENSODYNE COMPLEX; SENSODYNE MULTICARE * SENSODYNE MULTI-CARE (WHITE 1450PPM FLUORIDE) * MFC 03218 SENSODYNE FULL PROTECTION PLUS WHITENING * MFC 03219 SENSODYNE TARTAR CONTROL & WHITENING * MFC 03449 SENSODYNE REPAIR AND PROTECT * MFC 03673 PRONAMEL EXTRA FRESHNESS (EU), 1426 PPM FLUORIDE * MFC 03795 PRONAMEL ENAMEL CARE & GENTLE WHITENING * MFC 03925 PRONAMEL MULTI-ACTION * MFC 03941 SENSODYNE PROTECT AND REPAIR (USA) * MFC 00645 SENSODYNE F * SENSODYNE REPAIR PROTECT US * MFC 04006 PRONAMEL (MISSISSIPPI FLAVOUR), 1450 PPM FLUORIDE * MFC 04008 PRONAMEL (OPTAMINT 134601 FLAVOUR), 1450 PPM FLUORIDE * MFC 04010 PRONAMEL GENTLE WHITENING TOOTHPASTE * MFC 04143 TRUE WHITE EXTRA FRESH (1100 PPM FLUORIDE) * MFC 04155 TRUE WHITE MINT (1100 PPM FLUORIDE) * MFC 04156 TRUE WHITE MINT * MFC 04254 PRONAMEL GENTLE WHITENING TOOTHPASTE 1000 PPM FLUORIDE * MFC 04276 TRUE WHITE EXTRA FRESH TOOTHPASTE * MFC 04281 PRONAMEL (SE ASIA & AUSTRALIA) WITH 1000 PPM FLUORIDE * MFC 04431 SENSODYNE TRUE WHITE MINT 1150 PPM FLUORIDE (PHASE 2.0) * MFC 04433 SENSODYNE TRUE WHITE MINT 1426 PPM FLUORIDE (PHASE 2.0) * MFC 04437 SENSODYNE TRUE WHITE EXTRA FRESH 1150 PPM FLUORIDE (PHASE 2.0) * MFC 04439 SENSODYNE TRUE WHITE EXTRA FRESH 1426 PPM FLUORIDE (PHASE 2.0) * MFC 04588 SENSODYNE TRUE WHITE MINT 928PPM FLUORIDE (PHASE 1.0) * MFC 20026 MULTICARE TOOTHPASTE * MFC 50156 FRESH IMPACT * MFC03978 SENSODYNE COMPLETE PROTECTION * MFC00556 SENSODYNE GEL WHITENING * SODIUM FLUORIDE AND/OR POTASSIUM NITRATE, FORMULATED PRODUCT

Recommended use

Oral Care

Recommended restrictions

No other uses are advised.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

GlaxoSmithKline US
5 Moore Drive
Research Triangle Park, NC 27709 USA
US General Information (normal business hours): +1-888-825-5249

Email Address: msds@gsk.com
Website: www.gsk.com

EMERGENCY PHONE NUMBERS - TRANSPORT EMERGENCIES:

US / International toll call +1 703 527 3887
available 24 hrs/7 days; multi-language response

2. Hazard(s) identification

Classified hazards

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Label elements

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

Hazard(s) not otherwise classified (HNOC)

Exempt from requirements - product regulated as a medicinal product, cosmetic product or medical device.

3. Composition/information on ingredients**Mixtures**

Chemical name	Common name and synonyms	CAS number	%
GLYCERIN	GLYCEROL GLYCERIN ANHYDROUS GLYCERINE GLYCERITOL GLYCYL ALCOHOL 1,2,3-PROPANETRIOL PROPANETRIOL GLYROL GLYSANIN TRIHIDROXYPROPANE 1,2,3-TRIHIDROXYPROPANE OSMOGLYN	56-81-5	0 - 61.5
SODIUM BICARBONATE	BAKING SODA BICARBONATE OF SODA CARBONIC ACID MONOSODIUM SALT CARBONIC ACID SODIUM SALT (1:1) MONOSODIUM CARBONATE MONOSODIUM HYDROGEN CARBONATE RTECS VZ0950000 SODIUM ACID CARBONATE SODIUM HYDROGEN CARBONATE	144-55-8	5 - < 10
NOVAMIN 4516	CALCIUM SODIUM PHOSPHOSILICATE	359684-27-8	1 - < 3
NOVAMINT 507306T		Unassigned	0 - < = 1.2
FLAVOUR OPTAMINT PROPOLIS 833315		Unassigned	0 - < = 1.1
Flavour Linen TP-16421	EAC15182/00	Unassigned	0 - < = 1.1
OPTAMINT INDIANA 888401		Unassigned	0 - < = 1.1
SENSIDREAM FLAVOR 508915T		Unassigned	0 - < = 1.1
FI PURE COOL 2 - 507780 T		Unassigned	0 - 1.0
FLAVOUR JIMMY JINX FS2014 (GIVAUDAN)		Unassigned	0 - < 1.0
FLAVOUR SLEEPY ED FS 2019		Unassigned	0 - < 1.0
SODIUM MONOFLUOROPHOSPHATE	DISODIUM FLUOROPHOSPHATE DISODIUM MONOFLUOROPHOSPHATE DISODIUM PHOSPHOROFUORIDATE SODIUM FLUOROPHOSPHATE (NA2PO3F) SODIUM PHOSPHOROFUORIDATE SODIUM PHOSPHOROFUORIDATE	10163-15-2	< 1
TEGO BETAIN CK D	COCOAMIDOPROPYL BETAIN (SOLID) FATTY ACID AMIDO ALKYL BETAIN	61789-40-0	< 1
CORN MINT OIL TERPENELESS		68917-18-0	0 - 0.55
TIN (II) FLUORIDE	STANNOUS FLUORIDE TIN BIFLUORIDE	7783-47-3	0 - < 0.5

Chemical name	Common name and synonyms	CAS number	%
EUCALYPTOL	1,8-CINEOL CINEOLE 1,8-CINEOLE 1,8-EPOXY-P-MENTHANE EUCALYPTOL EUCALYPTOLE EUKALYPTOL (CZECH) NCI-C56575 CAJEPUTOL 2- OXABICYCLO(2.2.2)OCTANE, 1,3,3- TRIMETHYL- 1,8-OXIDO-P-MENTHANE TERPAN	470-82-6	0 - 0.40
GALAXY FLAVOUR 508522 3T		Unassigned	< 0.3
(E)-ANETHOL		4180-23-8	< 0.2
OIL OF SPEARMINT	OILS, SPEARMINT CURLED MINT OIL SPEARMINT OIL	8008-79-5	< 0.2
PEPPERMINT OIL (PEPPERMINT AMERICAN, MENTHA PIPERITA)	PEPPERMINT OIL (MENTHA PIPERITA) PFEFFERMINZOEL MENTHA PIPERITA OIL OIL OF PEPPERMINT OILS, MENTHA PIPERITA PEPPERMINT, OIL (MENTHA PIPERITA L.) PEPPERMINT OIL	8006-90-4	< 0.2
TRISODIUM PHOSPHATE, DODECAHYDRATE	TRISODIUM PHOSPHATE SODIUM PHOSPHATE TRIBASIC DODECAHYDRATE SODIUM PHOSPHATE, TRIBASIC 12- HYDRATE PHOSPHORIC ACID, TRISODIUM SALT, DODECAHYDRATE PHOSPHATE DODECAHYDRATE TRISODIUM PHOSPHATE (NA3PO4. 12H2O) TRISODIUM ORTHOPHOSPHATE TSP STCC 4966383 SODIUM ORTHOPHOSPHATE DODECAHYDRATE SODIUM PHOSPHATE, TRIBASIC TRISODIUM ORTHOPHOSPHATE DODECAHYDRATE TRISODIUM PHOSPHATE DODECAHYDRATE (NA3PO4.12H2O) SODIUM PHOSPHATE (NA3PO4) DODECAHYDRATE TRISODIUM PHOSPHATE DODECHYDRAT E SODIUM ORTHOPHOSPHATE, TRIBASIC DODECAHYDRATE H3O4P.12H2O.3NA OHS24500 RTECS TC9575000	10101-89-0	< 0.2
CITRIC ACID ANHYDROUS	BETA-HYDROXYTRICARBALLYLIC ACID ANHYDROUS CITRIC ACID 2-HYDROXY-1,2,3- PROPANETRICARBOXYLIC ACID CITIRIC ACID	77-92-9	< 0.1

Chemical name	Common name and synonyms	CAS number	%
TRISODIUM PHOSPHATE	PHOSPHORIC ACID, TRISODIUM SALT PHOSPHORIC ACID SODIUM SALT (1:3) SODIUM PHOSPHATE SODIUM PHOSPHATE (NA3PO4) SODIUM PHOSPHATE, TRIBASIC SODIUM TERTIARY PHOSPHATE TRIBASIC SODIUM ORTHOPHOSPHATE TRIBASIC SODIUM PHOSPHATE TRISODIUM ORTHOPHOSPHATE TROMETE TSP TRISODIUM MONOPHOSPHATE, ANHYDROUS OHS24480 RTECS TC9490000	7601-54-9	< 0.1
BUTYLATED HYDROXYANISOLE	BHA TENOX BHA (1,1-DIMETHYLETHYL)-4-METHOXYPHENOL TERT-BUTYL-4-METHOXYPHENOL ANTIOXYNE B BUTYLHYDROXYANISOLE TERT-BUTYLHYDROXYANISOLE EMBANOX PROTEX SUSTANE 1F SUSTAN 1F OHS03640 RTECS SL1945000 BUTYLHYDROXYANISOLE (BHA) T-BUTYL HYDROXY ANISOLE (BHA) TERT-BUTYL-4-METHOXYPHENOL	25013-16-5	0 <= 0.01
CALCIUM CARBONATE	CARBONIC ACID, CALCIUM SALT CALCIUM MONOCARBONATE PRECIPITATED CALCIUM CARBONATE CHALK	471-34-1	0 <= 10.0
COCOAMIDOPROPYL BETAINE	COCOAMIDO BETAINE N-(COCO ALKYL) AMIDO PROPYL DIMETHYL BETAINE COCONUT OIL AMIDOPROPYL BETAINE	61789-40-0	0 <= 4
D-PANTHENOL	BUTANAMIDE, 2,4-DIHYDROXY-N-(3-HYDROXYPROPYL)-3,3-DIMETHYL, (R)- (R)-2,4-DIHYDROXY-N-(3-HYDROXYPROPYL)-3,3-DIMETHYL-BUTANAMIDE BUTYRAMIDE, 2,4-DIHYDROXY-N-(3-HYDROXYPROPYL)-3,3-DIMETHYL-, D-(+)- D-(+)-2,4-DIHYDROXY-N-(3-HYDROXYPROPYL)-3,3-DIMETHYL-BUTYRAMIDE DEXPANTHENOL D(+)-PANTHENOL PANTOTHENOL D-PANTOTHENOL D-PANTOTHENYL ALCOHOL D(+)-PANTOTHENYL ALCOHOL PANTHODERM PANTHENOL GW709768X	81-13-0	0 <= 0.1
DEVELOPMINT TP12995A			0 <= 0.7
FLAVOUR CONFIDENT WHITE 509321		Unassigned	0 <= 1.4
FLAVOUR PETER PIPER FS2037 (GIVAUDAN)		Unassigned	0 <= 1.0
OPTAMINT FLAVOUR		Unassigned	0 <= 1.2

Chemical name	Common name and synonyms	CAS number	%
PEPPERMINT OIL	OIL OF PEPPERMINT ESSENTIAL PEPPERMINT OIL PEPPERMINT LEAF OIL PEPPERMINT TERPENES	8006-90-4	0 <= 1.0
POLYETHYLENE GLYCOL STEARATE	POLY(OXY-1,2-ETHANEDIYL), ALPHA-(1-OXOOCTADECYL)-OMEGA-HYDROXY-GLYCOLS, POLYETHYLENE, MONOSTEARATE POLYOXYL 8 STEARATE POLYETHYLENE GLYCOL 400 MONOSTEARATE POLYETHOXYLATED MONOSTEARATE POLYETHYLENE GLYCOL MONOSTEARATE POLYETHYLENE OXIDE MONOSTEARATE	9004-99-3	0 <= 3.0
POTASSIUM CHLORIDE	POTASSIUM CHLORIDE (KCL) POTASSIUM MONOCHLORIDE SUPER K (SALT) POTASSIUM MURIATE	7447-40-7	0 <= 3.75
POTASSIUM NITRATE	NITRIC ACID POTASSIUM SALT NITRIC ACID POTASSIUM SALT (1:1)	7757-79-1	0 <= 5.0
POTASSIUM PYROPHOSPHATE, ANHYDROUS	TETRAPOTASSIUM PYROPHOSPHATE PYROPHOSPHORIC ACID, TETRAPOTASSIUM SALT DIPHOSPHORIC ACID, TETRAPOTASSIUM SALT TETRAPOTASSIUM DIPHOSPHATE POTASSIUM PYROPHOSPHATE, NORMAL POTASSIUM PHOSPHATE(K4P2O7)	7320-34-5	0 <= 5.1
SILICON DIOXIDE	SILICA SILICA GEL AMORPHOUS SILICA DIATOMACEOUS EARTH INFUSORIAL EARTH CAB-O-SIL M-5	7631-86-9	0 <= 10.5
SODIUM FLUORIDE	SODIUM MONOFLUORIDE NATURAL VILLIAUMITE	7681-49-4	0 <= 0.3152
SODIUM TRIPOLYPHOSPHATE	TRIPHOSPHORIC ACID, PENTASODIUM SALT PENTASODIUM TRIPHOSPHATE PENTASODIUM TRIPOLYPHOSPHATE SODIUM TRIPHOSPHATE SODIUM POLYPHOSPHATE SODIUM PHOSPHATE	7758-29-4	0 <= 5.0
TITANIUM DIOXIDE	TITANIUM OXIDE TITANIUM(IV) OXIDE TITANIUM PEROXIDE (TiO2) PIGMENT WHITE 6	13463-67-7	0.10 <= 1.00
TOCOPHERYL ACETATE	DL-ALPHA TOCOPHERYL ACETATE D-ALPHA TOCOPHERYL ACETATE VITAMIN E ACETATE	7695-91-2	0 <= 0.2
TP 16430 JIAOLONG EC		Unassigned	0 <= 1.0
TP13980J ASWAN (JAP) FLAVOUR			0 <= 1.1
ZINC CITRATE		546-46-3	0 <= 2.0
Other components below reportable levels			50 - < 60

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Under normal conditions of intended use, this material is not expected to be an inhalation hazard.

Skin contact

Wash off with soap and plenty of water. Get medical attention if irritation develops and persists.

Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention if irritation develops and persists.
Ingestion	Call a POISON CENTER or doctor/physician if you feel unwell.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	If you feel unwell, seek medical advice (show the label where possible).

5. Fire-fighting measures

Suitable extinguishing media	Water. Carbon dioxide (CO2). Alcohol resistant foam. Dry powder.
Unsuitable extinguishing media	None known.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	This product will support combustion at elevated temperatures.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch or walk through spilled material. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Prevent product from entering drains. Following product recovery, flush area with water. Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination. For waste disposal, see section 13 of the SDS. Never return spills to original containers for re-use.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground. Inform appropriate managerial or supervisory personnel of all environmental releases.

7. Handling and storage

Precautions for safe handling	No special control measures required for the normal handling of this product. Avoid contact with eyes, skin, and clothing. Provide adequate ventilation. Use personal protective equipment as required. Wash contaminated clothing before reuse. Avoid breathing mist or vapor.
Conditions for safe storage, including any incompatibilities	Store in original tightly closed container. Keep away from heat, sparks and open flame.

8. Exposure controls/personal protection

Occupational exposure limits

GSK Components	Type	Value	Note
BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)	OHC	2	
CITRIC ACID ANHYDROUS (CAS 77-92-9)	8 HR TWA	5000 mcg/m3	
	OHC	1	

GSK Components	Type	Value	Note
COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)	OHC	1	PROVISIONAL
D-PANTHENOL (CAS 81-13-0)	OHC	2	PROVISIONAL
POTASSIUM CHLORIDE (CAS 7447-40-7)	8 HR TWA	5000 mcg/m3	
SODIUM BICARBONATE (CAS 144-55-8)	OHC 8 HR TWA	1 5000 mcg/m3	
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)	OHC OHC	1 1	
ZINC CITRATE (CAS 546-46-3)	OHC	1	
US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)			
Components	Type	Value	Form
CALCIUM CARBONATE (CAS 471-34-1)	PEL	5 mg/m3	Respirable fraction.
GLYCERIN (CAS 56-81-5)	PEL	15 mg/m3 5 mg/m3 15 mg/m3	Total dust. Respirable fraction. Total dust.
SODIUM FLUORIDE (CAS 7681-49-4)	PEL	2.5 mg/m3	
SODIUM MONOFLUOROPHOSPHATE (CAS 10163-15-2)	PEL	2.5 mg/m3	
TITANIUM DIOXIDE (CAS 13463-67-7)	PEL	15 mg/m3	Total dust.
US. OSHA Table Z-2 (29 CFR 1910.1000)			
Components	Type	Value	Form
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3	Dust.
SODIUM MONOFLUOROPHOSPHATE (CAS 10163-15-2)	TWA	2.5 mg/m3	Dust.
TIN (II) FLUORIDE (CAS 7783-47-3)	TWA	2.5 mg/m3	Dust.
US. OSHA Table Z-3 (29 CFR 1910.1000)			
Components	Type	Value	
SILICON DIOXIDE (CAS 7631-86-9)	TWA	0.8 mg/m3 20 mppcf	
US. ACGIH Threshold Limit Values			
Components	Type	Value	
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3	
SODIUM MONOFLUOROPHOSPHATE (CAS 10163-15-2)	TWA	2.5 mg/m3	
TITANIUM DIOXIDE (CAS 13463-67-7)	TWA	10 mg/m3	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
CALCIUM CARBONATE (CAS 471-34-1)	TWA	5 mg/m3	Respirable.
		10 mg/m3	Total
SILICON DIOXIDE (CAS 7631-86-9)	TWA	6 mg/m3	
SODIUM FLUORIDE (CAS 7681-49-4)	TWA	2.5 mg/m3	
SODIUM MONOFLUOROPHOSPHATE (CAS 10163-15-2)	TWA	2.5 mg/m3	

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value
TRISODIUM PHOSPHATE (CAS 7601-54-9)	STEL	5 mg/m3
TRISODIUM PHOSPHATE, DODECAHYDRATE (CAS 10101-89-0)	STEL	5 mg/m3

Biological limit values**ACGIH Biological Exposure Indices**

Components	Value	Determinant	Specimen	Sampling Time
SODIUM FLUORIDE (CAS 7681-49-4)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*
SODIUM MONOFLUOROPHOSPHATE (CAS 10163-15-2)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*
TIN (II) FLUORIDE (CAS 7783-47-3)	3 mg/l	Fluoride	Urine	*
	2 mg/l	Fluoride	Urine	*

* - For sampling details, please see the source document.

Appropriate engineering controls No special ventilation requirements.

Individual protection measures, such as personal protective equipment

Eye/face protection Not normally needed. If contact is likely, safety glasses with side shields are recommended. Eye wash fountain is recommended.

Skin protection

Hand protection Not normally needed. For prolonged or repeated skin contact use suitable protective gloves.

Other Not normally needed. Wear suitable protective clothing as protection against splashing or contamination.

Respiratory protection No personal respiratory protective equipment normally required. When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits.

Thermal hazards Not available.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants. For advice on suitable monitoring methods, seek guidance from a qualified environment, health and safety professional.

9. Physical and chemical properties**Appearance**

Physical state Liquid.

Form Paste.Pump/tube.

Color Not available.

Odor Not available.

Odor threshold	Not available.
pH	9 - 10
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	> 375.8 °F (> 191 °C) Closed Cup (Estimation based on components).
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	
Solubility (water)	Not available.
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Not available.
Conditions to avoid	Avoid heat, sparks, open flames and other ignition sources.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	Irritating and/or toxic fumes and gases may be emitted upon the products decomposition.

11. Toxicological information

Information on likely routes of exposure

Inhalation	None known. Under normal conditions of intended use, this material is not expected to be an inhalation hazard.
Skin contact	Health injuries are not known or expected under normal use.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Health injuries are not known or expected under normal use. Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics	None known. Direct contact with eyes may cause temporary irritation.
---	--

Information on toxicological effects

Acute toxicity	Health injuries are not known or expected under normal use.
-----------------------	---

Components	Species	Test Results
BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)		
<u>Acute</u>		
Oral		
LD50	Rat	2 g/kg
CALCIUM CARBONATE (CAS 471-34-1)		
<u>Acute</u>		
Oral		
LD50	Rat	6450 mg/kg
CITRIC ACID ANHYDROUS (CAS 77-92-9)		
<u>Acute</u>		
Oral		
LD50	Rat	3000 mg/kg
COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)		
<u>Acute</u>		
Oral		
LD50	Mouse	> 2000 mg/kg
D-PANTHENOL (CAS 81-13-0)		
<u>Acute</u>		
Oral		
LD50	Mouse	15 g/kg
EUCALYPTOL (CAS 470-82-6)		
<u>Acute</u>		
Oral		
LD50	Rat	2480 mg/kg
GLYCERIN (CAS 56-81-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 2000 mg/kg
OIL OF SPEARMINT (CAS 8008-79-5)		
<u>Acute</u>		
Oral		
LD50	Rat	> 5000 mg/kg
PEPPERMINT OIL (CAS 8006-90-4)		
<u>Acute</u>		
Oral		
LD50	Rat	2426 mg/kg
PEPPERMINT OIL (PEPPERMINT AMERICAN, MENTHA PIPERITA) (CAS 8006-90-4)		
<u>Acute</u>		
Oral		
LD50	Rat	2426 mg/kg
POTASSIUM CHLORIDE (CAS 7447-40-7)		
<u>Acute</u>		
Oral		
LD50	Rat	2600 mg/kg
POTASSIUM PYROPHOSPHATE, ANHYDROUS (CAS 7320-34-5)		
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 4640 mg/kg
Oral		
LD50	Rat	4640 mg/kg

Components	Species	Test Results
SODIUM BICARBONATE (CAS 144-55-8)		
<u>Acute</u>		
Oral		
LD50	Rat	4220 mg/kg
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)		
<u>Acute</u>		
Oral		
LD50	Rat	3120 mg/kg
TITANIUM DIOXIDE (CAS 13463-67-7)		
<u>Acute</u>		
Inhalation		
LC50	Rat	6820 mcg/m3
Oral		
LD50	Rat	> 24 g/kg
<u>Chronic</u>		
Inhalation		
LOEC	Rat	8.6 mg/m3, 1 years TiO2 accumulated in interstitial macrophages, aggregated interstitial cells and particle laden macrophages in lymphoid tissue.
NOAEC	Rat	250 mg/m3, 2 years Highest dose 5 mg/m3, 24 months
<u>Subacute</u>		
Inhalation		
LOEL	Rat	0.1 - 35 mg/m3, 4 weeks Mild macrophage hyperplasia, no change in bronchio-alveolar lavage fluid.
NOAEC	Guinea pig	26 mg/m3, 3 weeks No evidence of significant inflammation in respiratory tract.
Oral		
NOAEL	Rat	100000 ppm, 14 Day Dietary study, highest dose tested.
<u>Subchronic</u>		
Inhalation		
LOEC	Rat	3.2 - 20 mg/m3, 8 min Accumulation of TiO2 in macrophages and evidence of pulmonary inflammation.
TRISODIUM PHOSPHATE (CAS 7601-54-9)		
<u>Acute</u>		
Oral		
LD50	Rat	7.4 g/kg

* Estimates for product may be based on additional component data not shown.

Skin corrosion/irritation Health injuries are not known or expected under normal use.

Corrosivity

PEPPERMINT OIL

Literature search
Result: Positive

Irritation Corrosion - Skin

TITANIUM DIOXIDE

0, Literature data
Result: Non-irritant
Species: Guinea pig
0, Literature data
Result: Non-irritant
Species: Human

Irritation Corrosion - Skin		Acute dermal irritation; OECD 404, Literature data Result: Non-irritant Species: Rabbit
TITANIUM DIOXIDE		
Irritation Corrosion - Skin: P.I.I. value		OECD 404 Result: Mild to moderate irritant. Species: Rabbit
CITRIC ACID ANHYDROUS		
Serious eye damage/eye irritation		
Eye		Acute ocular irritation; OECD 405 Result: Severe Irritant Species: Rabbit Literature search Result: Mild/moderate Irritant OECD 405, Literature data Result: Mild irritant Species: Rabbit
CITRIC ACID ANHYDROUS		
PEPPERMINT OIL		
TITANIUM DIOXIDE		
Respiratory or skin sensitization		
Respiratory sensitization	Not available.	
Skin sensitization	Health injuries are not known or expected under normal use.	
Sensitization		5 % Optimisation Test, Literature data - Vehicle: petrolatum Result: Negative Species: Guinea pig Test Duration: 48 hour exposure Literature search Result: Positive Patch test, Literature data Result: Negative Species: Human
TITANIUM DIOXIDE		
PEPPERMINT OIL		
TITANIUM DIOXIDE		
Germ cell mutagenicity		No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.
Mutagenicity		Ames, Literature data Result: Negative Micronucleus Assay in vitro, CHO cells, Literature data Result: Negative Micronucleus Assay in vitro, cultured human peripheral lymphocytes, Literature data Result: Positive Syrian Hamster Embryo (SHE) cell transformation assay Result: Negative WIL2-NS HPRT/ t-Thioguanidine - Human B-Cell lymphoblastoid, Literature data Result: Positive
TITANIUM DIOXIDE		
Carcinogenicity		
TITANIUM DIOXIDE		
		Health injuries are not known or expected under normal use. Risk of cancer cannot be excluded with prolonged exposure. Titanium Dioxide produced carcinogenic effects in a lifetime study in mice. High concentrations or doses administered over an extended period of time were required to produce adverse effects.
TITANIUM DIOXIDE		0.5 mg/m3, Literature data Result: Negative Species: Rat Test Duration: 24 months 0.72 - 14.8 mg/m3, Literature data Result: Negative Species: Mouse 10 - 250 mg/m3, Dietary study - Literature data. Result: Inflammation at all doses with alveolar/bronchiolar adenoma at the highest concentration. Species: Rat Test Duration: 24 months 25000 - 50000 ppm, Dietary study Result: Negative Species: Mouse

Carcinogenicity**TITANIUM DIOXIDE**

25000 - 50000 ppm, Dietary study - Literature data.

Result: Negative

Species: Rat

7.2 - 14.8 mg/m3, Literature data

Result: Lung tumour

Species: Rat

Test Duration: 24 months

IARC Monographs. Overall Evaluation of Carcinogenicity

BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)

2B Possibly carcinogenic to humans.

SILICON DIOXIDE (CAS 7631-86-9)

3 Not classifiable as to carcinogenicity to humans.

SODIUM FLUORIDE (CAS 7681-49-4)

3 Not classifiable as to carcinogenicity to humans.

TIN (II) FLUORIDE (CAS 7783-47-3)

3 Not classifiable as to carcinogenicity to humans.

TITANIUM DIOXIDE (CAS 13463-67-7)

2B Possibly carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)

Reasonably Anticipated to be a Human Carcinogen.

Reproductive toxicity

This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity - single exposure

None known.

Specific target organ toxicity - repeated exposure

None known.

Aspiration hazard

Not available.

12. Ecological information**Ecotoxicity**

Contains a substance which causes risk of hazardous effects to the environment.

Components		Species	Test Results
BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Orange-red killfish (Adult Oryzias latipes)	2.5 - 5.3 mg/L, 48 hours Static test
CALCIUM CARBONATE (CAS 471-34-1)			
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	> 56000 mg/l, 24 hours
CITRIC ACID ANHYDROUS (CAS 77-92-9)			
Aquatic			
<i>Acute</i>			
Algae	NOEC	Green algae (Scenedesmus quadricauda)	425 mg/l, 8 days Static Test
Crustacea	EC50	Water flea (Daphnia magna)	120 mg/l, 72 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	1516 mg/l, 96 hours Static test
		Golden ide/orfe (Adult Leuciscus idus)	440 - 760 mg/l, 96 hours Static test
COCOAMIDOPROPYL BETAINE (CAS 61789-40-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Scenedesmus subspicatus)	0.55 mg/l, 96 hours
	NOEC	Green algae (Scenedesmus subspicatus)	0.09 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	6.5 mg/l, 48 hours
	NOEC	Water flea (Daphnia magna)	1.6 mg/l, 48 hours
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	2 mg/l, 96 hours semi-static test conditions

Components		Species	Test Results
	NOEC	Zebra fish (Adult Brachydanio rerio)	1.7 mg/l, 96 hours semi-static test conditions
Microtox	MIC	Pseudomonas	> 3000 mg/l, 16 hours
<i>Chronic</i>			
Crustacea	LOEC	Water flea (Daphnia magna)	3.6 mg/l, 21 days
	NOEC	Water flea (Daphnia magna)	0.9 mg/l, 21 days
EUCALYPTOL (CAS 470-82-6)			
Aquatic			
<i>Acute</i>			
Fish	EC50	Fathead minnow (Adult Pimephales promelas)	102 mg/l, 96 hours Flow-through test
POTASSIUM CHLORIDE (CAS 7447-40-7)			
Aquatic			
<i>Acute</i>			
Algae	NOEC	Green algae (Chlorella vulgaris)	600 mg/l, 4 months
Crustacea	EC50	Water flea (Daphnia magna)	83 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	951 mg/l, 96 hours Static test
		Channel catfish (Adult Ictalurus punctatus)	720 mg/l, 48 hours Static test
		Fathead minnow (Adult Pimephales promelas)	880 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	435 mg/l, 96 hours Static test
POTASSIUM NITRATE (CAS 7757-79-1)			
Aquatic			
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	490 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	420 mg/l, 96 hours Static test
		Guppy (Juvenile Poecilia reticulata)	180 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	22.5 mg/l, 96 hours Static test
SILICON DIOXIDE (CAS 7631-86-9)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	440 mg/l, 72 hours
	NOEC	Green algae (Selenastrum capricornutum)	60 mg/l, 72 hours
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 24 hours Static test
Fish	EC50	Common carp (Juvenile Cyprinus carpio)	> 10000 mg/l, 72 hours
		Zebra fish (Adult Brachydanio rerio)	5000 mg/l, 96 hours Static test
Microtox	EC50	Microtox	8700 mg/l, 15 minutes
SODIUM BICARBONATE (CAS 144-55-8)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae (Nitscheria linearis)	650 mg/l, 5 days
Crustacea	EC50	Water flea (Daphnia magna)	2350 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	8250 - 9000 mg/l, 96 hours Static test
		Mosquito fish (Adult Gambusia affinis)	7550 mg/l, 96 hours Static test

Components		Species	Test Results
SODIUM FLUORIDE (CAS 7681-49-4)			
<i>Acute</i>			
	IC50	Activated sludge	2930 mg/L, 3 hours
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	272 mg/L, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	340 mg/L, 48 hours Static test
Fish	EC50	Fathead minnow (Juvenile Pimephales promelas)	180 mg/L, 96 hours Static renewal test
		Mosquito fish (Adult Gambusia affinis)	418 mg/L, 96 hours Static test
		Rainbow trout (Juvenile Oncorhynchus mykiss)	108 mg/L, 96 hours Static test
SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)			
<i>Acute</i>			
	IC50	Activated sludge	> 1000 mg/l, 3 hours
Aquatic			
<i>Acute</i>			
Algae	EC50	Algae	60 - 120 mg/l
Crustacea	EC50	Water flea (Daphnia magna)	1089 mg/l, 50 hours
Fish	EC50	Golden ide/orfe (Adult Leuciscus idus)	1650 mg/l, 48 hours
		Orange-red killfish (Adult Oryzias latipes)	590 mg/l, 48 hours Static test
TEGO BETAIN CK D (CAS 61789-40-0)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Scenedesmus subspicatus)	0.55 mg/l, 96 hours
	NOEC	Green algae (Scenedesmus subspicatus)	0.09 mg/l, 96 hours
Crustacea	EC50	Water flea (Daphnia magna)	6.5 mg/l, 48 hours
	NOEC	Water flea (Daphnia magna)	1.6 mg/l, 48 hours
Fish	EC50	Zebra fish (Adult Brachydanio rerio)	2 mg/l, 96 hours semi-static test conditions
	NOEC	Zebra fish (Adult Brachydanio rerio)	1.7 mg/l, 96 hours semi-static test conditions
Microtox	MIC	Pseudomonas	> 3000 mg/l, 16 hours
<i>Chronic</i>			
Crustacea	LOEC	Water flea (Daphnia magna)	3.6 mg/l, 21 days
	NOEC	Water flea (Daphnia magna)	0.9 mg/l, 21 days
TITANIUM DIOXIDE (CAS 13463-67-7)			
Aquatic			
Fish	LC50	Mummichog (Fundulus heteroclitus)	> 1000 mg/l, 96 hours
<i>Acute</i>			
Crustacea	EC50	Water flea (Daphnia magna)	> 1000 mg/l, 48 hours Static test
TOCOPHERYL ACETATE (CAS 7695-91-2)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	> 25.5 mg/l, 72 hours

Components		Species	Test Results
	NOEC	Green algae (Selenastrum capricornutum)	25.5 mg/l, 72 hours
Fish	EC50	Rainbow trout (Adult Oncorhynchus mykiss)	> 91.1 mg/l, 96 hours
	NOEC	Rainbow trout (Adult Oncorhynchus mykiss)	91.1 mg/l, 96 hours
ZINC CITRATE (CAS 546-46-3)			
Aquatic			
<i>Acute</i>			
Algae	EC50	Green algae (Selenastrum capricornutum)	0.13 mg/l, 24 hours Static test
Crustacea	EC50	Water flea (Daphnia magna)	0.59 mg/l, 48 hours Static test
Fish	EC50	Bluegill sunfish (Adult Lepomis macrochirus)	30.73 mg/l, 96 hours Static test
		Fathead minnow (Adult Pimephales promelas)	2.09 mg/l, 96 hours Static renewal test
		Mosquito fish (Adult Gambusia affinis)	439 mg/l, 96 hours Static test
		Rainbow trout (Adult Oncorhynchus mykiss)	2.1 mg/l, 96 hours Flow-through test

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Photolysis

Half-life (Photolysis-atmospheric)

BUTYLATED HYDROXYANISOLE	10.7 Hours Estimated
EUCALYPTOL	1.4 Days Estimated

Biodegradability

Percent degradation (Aerobic biodegradation-inherent)

CITRIC ACID ANHYDROUS	98 %, 2 days Modified Zahn-Wellens, Activated sludge
COCOAMIDOPROPYL BETAINE	97 %, 28 days Modified Zahn-Wellens, DOC removal, Activated sludge
	99 %, 28 days Modified Zahn-Wellens, DOC removal, Activated sludge
TEGO BETAIN CK D	97 %, 28 days Modified Zahn-Wellens, DOC removal, Activated sludge
	99 %, 28 days Modified Zahn-Wellens, DOC removal, Activated sludge
TOCOPHERYL ACETATE	84 %, 28 days Modified MITI (II) Test.

Percent degradation (Aerobic biodegradation-ready)

COCOAMIDOPROPYL BETAINE	100 %, 20 Days Modified Sturm test., Activated sludge
	84 %, 30 days Closed bottle test, Activated sludge
TEGO BETAIN CK D	100 %, 20 Days Modified Sturm test., Activated sludge
	84 %, 30 days Closed bottle test, Activated sludge
TOCOPHERYL ACETATE	17 %, 28 days Manometric Respirometry Test

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

EUCALYPTOL	2.74
GLYCERIN	-1.76
TOCOPHERYL ACETATE	12.2 (Calculated).

Bioconcentration factor (BCF)

SODIUM FLUORIDE	2.3 Measured
ZINC CITRATE	> 1000 Measured

Mobility in soil

Adsorption

Soil/sediment sorption - log Koc

BUTYLATED HYDROXYANISOLE	3.14 Calculated
--------------------------	-----------------

Mobility in general

Volatility

Henry's law

BUTYLATED HYDROXYANISOLE

CITRIC ACID ANHYDROUS

EUCALYPTOL

0.000001 atm m³/mol Calculated

< 0 atm m³/mol Calculated, 25 °C

0.00011 atm m³/mol, 25 C Estimated

Other adverse effects

Not available.

13. Disposal considerations

Disposal instructions

Do not allow this material to drain into sewers/water supplies. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is emptied.

14. Transport information

DOT

Not regulated as a dangerous good.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not established.

15. Regulatory information

US federal regulations

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

SODIUM FLUORIDE (CAS 7681-49-4) Listed.

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4) Listed.

TRISODIUM PHOSPHATE (CAS 7601-54-9) Listed.

TRISODIUM PHOSPHATE, DODECAHYDRATE (CAS 10101-89-0) Listed.

ZINC CITRATE (CAS 546-46-3) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes
Delayed Hazard - No
Fire Hazard - Yes
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
POTASSIUM NITRATE	7757-79-1	0 ≤ 5.0
ZINC CITRATE	546-46-3	0 ≤ 2.0

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA)

Not regulated.

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)

TITANIUM DIOXIDE (CAS 13463-67-7)

US. Massachusetts RTK - Substance List

BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)

CALCIUM CARBONATE (CAS 471-34-1)

POTASSIUM NITRATE (CAS 7757-79-1)

SILICON DIOXIDE (CAS 7631-86-9)

SODIUM FLUORIDE (CAS 7681-49-4)

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

TITANIUM DIOXIDE (CAS 13463-67-7)

TRISODIUM PHOSPHATE (CAS 7601-54-9)

TRISODIUM PHOSPHATE, DODECAHYDRATE (CAS 10101-89-0)

US. New Jersey Worker and Community Right-to-Know Act

BUTYLATED HYDROXYANISOLE (CAS 25013-16-5)

CALCIUM CARBONATE (CAS 471-34-1)

POTASSIUM NITRATE (CAS 7757-79-1)

SILICON DIOXIDE (CAS 7631-86-9)

SODIUM FLUORIDE (CAS 7681-49-4)

SODIUM MONOFLUOROPHOSPHATE (CAS 10163-15-2)

TIN (II) FLUORIDE (CAS 7783-47-3)

TITANIUM DIOXIDE (CAS 13463-67-7)

TRISODIUM PHOSPHATE (CAS 7601-54-9)

TRISODIUM PHOSPHATE, DODECAHYDRATE (CAS 10101-89-0)

ZINC CITRATE (CAS 546-46-3)

US. Pennsylvania Worker and Community Right-to-Know Law

CALCIUM CARBONATE (CAS 471-34-1)

POTASSIUM NITRATE (CAS 7757-79-1)

SILICON DIOXIDE (CAS 7631-86-9)

SODIUM FLUORIDE (CAS 7681-49-4)

SODIUM MONOFLUOROPHOSPHATE (CAS 10163-15-2)

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

TIN (II) FLUORIDE (CAS 7783-47-3)

TITANIUM DIOXIDE (CAS 13463-67-7)

TRISODIUM PHOSPHATE (CAS 7601-54-9)

TRISODIUM PHOSPHATE, DODECAHYDRATE (CAS 10101-89-0)

US. Rhode Island RTK

POTASSIUM NITRATE (CAS 7757-79-1)

SODIUM FLUORIDE (CAS 7681-49-4)

SODIUM TRIPOLYPHOSPHATE (CAS 7758-29-4)

TRISODIUM PHOSPHATE (CAS 7601-54-9)

TRISODIUM PHOSPHATE, DODECAHYDRATE (CAS 10101-89-0)

ZINC CITRATE (CAS 546-46-3)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

US - California Proposition 65 - CRT: Listed date/Carcinogenic substance

BUTYLATED HYDROXYANISOLE (CAS 25013-16-5) Listed: January 1, 1990

TITANIUM DIOXIDE (CAS 13463-67-7) Listed: September 2, 2011

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	06-28-2013
Revision date	07-17-2015
Version #	19
Further information	HMIS® is a registered trade and service mark of the NPCA.
HMIS® ratings	Health: 2 Flammability: 1 Physical hazard: 0
NFPA ratings	Health: 2 Flammability: 1 Instability: 0
References	GSK Hazard Determination
Disclaimer	The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create any warranty, express or implied. It is the responsibility of the user to determine the applicability of this information and the suitability of the material or product for any particular purpose.
Revision Information	Product and Company Identification: Synonyms